Standard Products for EU September 2025

Select Your Product Group

- AV Frameless Google TVs
- AV-Frameless Web OS TVs
- AV-Frameless Android TVs
- Coffee Machines
- Air Fryers & Grills
- Toasters, Kettles & Blenders
- Vacuum Cleaners
- Steam Irons
- Fans
- Air Conditioners Monoblock
- Split Air Conditioners
- Electrical Water Heaters
- Sales Contact Details



32EA3300X | 32" Frameless HD Google TV with Voice Control

'The Tornado 32EA3300X is a 32" frameless HD Google TV with Google Assistant, voice-enabled Bluetooth remote, Chromecast, and access to Google Play—delivering smart performance in a compact, modern design.

- •32" Google LED TV
- · Resolution: HD
- Pixel Resolution: 1366 x 768
- Refresh Rate: 50/60HZ
- Response Time: 6.5ms
- HDR Format; HDR
- Brightness: 220 ±15% nits
- Viewing angle; 178°/178°
- Game Mode:6.5.ms
- Speakers' output power: 2x8W
- Dolby Digital Plus
- Voice Search
- Google Assistant
- Google Play
- Chromecast
- Internal storage 8 GB
- HDMI: 2 Inputs 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+





















Dimensions (HxWxD) 453.3X718.2X165.5 mm





43EA3300X | 43" Frameless FHD Google TV with Voice Control

'The Tornado 43EA3300X is a 43" frameless Full HD Google TV with built-in Chromecast, Google Assistant, Bluetooth voice remote, and access to Google Play—smart entertainment with a clean, modern design.

- 43 " Google LED TV
- Resolution: FHD
- Pixel Resolution: 1920 x 1080
- Refresh Rate; 50/60HZ
- Response Time: 8ms
- HDR Format; HDR
- Brightness: 240 ±15% nits
- Viewing angle; 178°/178°
- Game Mode:6.5.ms
- Speakers' output power: 2x8W
- Dolby Digital Plus
- Voice Search
- Google Assistant
- Google Play
- Chromecast
- Internal storage 8 GB
- HDMI: 2 Inputs 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+





















43EA3300X






50UA3400X | 50" Frameless 4K UHD Google TV with HDR10 and HLG

'The Tornado 50UA3400X is a 50" frameless 4K UHD Google TV with HDR10 + HLG, voice-enabled remote, Google Assistant, Chromecast, and full smart connectivity—ideal for immersive home entertainment.

- •50 "Google LED TV
- Resolution: UHD
- Pixel Resolution: 3840 x 2160
- Refresh Rate; 50/60HZ
- Response Time: 8ms
- HDR Format; HDR10 HLG
- Brightness: 250 ±15% nits
- Viewing angle; 178°/178°
- Game Mode: 8.ms
- Speakers' output power: 2x10W
- Dolby Digital Plus
- Voice Search
- Google Assistant
- Google Play
- Chromecast
- Internal storage 16 GB
- HDMI: 3 Inputs 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+





















50UA3400X

695X1113X228 mm





55UA3400X | 55" Frameless 4K UHD Google TV with HDR10 and HLG

'The Tornado 55UA3400X is a 55" frameless 4K UHD Google TV with HDR10 + HLG, built-in Chromecast, Google Assistant, voice control remote, and smart connectivity—bringing immersive visuals and effortless streaming to your home.

- •55 "Google LED TV
- Resolution: UHD
- Pixel Resolution: 3840 x 2160
- Refresh Rate; 50/60HZ
- Response Time: 8ms
- HDR Format; HDR10 HLG
- Brightness: 250 ±15% nits
- Viewing angle; 178°/178°
- Game Mode: 8.ms
- Speakers' output power: 2x10W
- Dolby Digital Plus
- Voice Search
- Google Assistant
- Google Play
- Chromecast
- Internal storage 16 GB
- HDMI: 3 Inputs 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+





















763X1227X228 mm






65UA3400X | 65" Frameless 4K UHD Google TV with HDR10 and HLG

'The Tornado 65UA3400X is a 65" frameless 4K UHD Google TV featuring HDR10 + HLG, built-in Chromecast, Google Assistant, Bluetooth voice remote, and a full suite of smart connectivity—ideal for premium home entertainment.

- •65 "Google LED TV
- Resolution: UHD
- Pixel Resolution: 3840 x 2160
- Refresh Rate; 50/60HZ
- Response Time: 8ms
- HDR Format; HDR10 HLG
- Brightness: 300 ±15% nits
- Viewing angle; 178°/178°
- Game Mode: 8.ms
- Speakers' output power: 2x12W
- Dolby Digital Plus
- Voice Search
- Google Assistant
- Google Play
- Chromecast
- Internal storage 16 GB
- HDMI: 3 Inputs 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+





















887.3X1447.4X281.6 mm







32ES4301 32" HD Frameless WebOS Smart TV

'The Tornado 32ES4301X is a 32" frameless HD Smart TV with WebOS 23, HDR support, and Dolby Digital audio. It offers a seamless smart experience with built-in Wi-Fi, dual USB ports, and access to top streaming apps—all packed into a compact, elegant design.

- •32" WebOS LED TV
- · Resolution: HD
- Pixel Resolution: 1366 x 768
- Refresh Rate; 50/60HZ
- Response Time: 6.5ms
- HDR Format; HDR
- Brightness: 200 ±15% nits
- Viewing angle; 178°/178°
- Game Mode:6.5.ms
- Speakers' output power: 2x8W
- Dolby Digital Plus
- · Air Play: Yes
- Internal storage 8 GB
- HDMI: 3 Inputs 2 USB
- Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+

































32ES4301X

32ES4301L







43ES4301X | 43" Full HD Frameless WebOS Smart TV

'The Tornado 43ES4301X is a 43" frameless Full HD Smart TV featuring WebOS 23, HDR support, Dolby Digital audio, and built-in Wi-Fi. Enjoy seamless streaming and modern design in one smart package.

- 43" WebOS LED TV
- Resolution: FHD
- Pixel Resolution: 1920x 1080
- Refresh Rate: 50/60HZ
- Response Time: 6.5ms
- HDR Format; HDR
- Brightness: 200 ±15% nits
- Viewing angle; 178°/178°
- Game Mode:6.5.ms
- Speakers' output power: 2x8W
- Dolby Digital Plus
- · Air Play: Yes
- Internal storage 8 GB
- Inputs: 3 HDMI 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+







































43US4301X | 43" 4K Frameless WebOS Smart TV with Voice Remote

'The Tornado 43US4301X is a 43" 4K UHD Frameless Smart TV with WebOS 23, HDR support, Bluetooth, HDMI 2.0, and a voice-enabled remote—offering sharp visuals, smart control, and a premium streaming experience.

- 43" WebOS LED TV
- Resolution: UHD
- Pixel Resolution: 3840 x2160
- Refresh Rate; 50/60HZ
- Response Time: 8ms
- HDR Format; HDR
- Brightness: 250 ±15% nits
- Viewing angle; 178°/178°
- •Game Mode: 8ms
- Speakers' output power: 2x10W
- Dolby Digital Plus
- · Air Play: Yes
- Internal storage 8 GB
- Inputs: 3 HDMI 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+







































50US4301X | 50" 4K Frameless WebOS Smart TV with Voice Remote

'The Tornado 50US4301X is a 50" 4K UHD Frameless Smart TV with WebOS 23, HDR10 + HLG, Dolby Digital audio, Bluetooth connectivity, and a voice-enabled remote—ideal for premium home entertainment.

- •50 "WebOS LED TV
- Resolution: UHD
- Pixel Resolution: 3840 x2160
- Refresh Rate; 50/60HZ
- Response Time: 6ms
- HDR Format; HDR
- Brightness: 250 ±15% nits
- Viewing angle; 178°/178°
- •Game Mode: 6ms
- Speakers' output power: 2x10W
- Dolby Digital Plus
- · Air Play: Yes
- Internal storage 8 GB
- Inputs: 3 HDMI 2 USB
- Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+









































55US4301X | 55" 4K Frameless WebOS Smart TV with Voice Remote

'The Tornado 55US4301X is a 55" 4K UHD Frameless Smart TV featuring WebOS 23, HDR10 + HLG, Dolby Digital sound, Bluetooth, and a voice-enabled remote for immersive entertainment with smart control.

- •55" WebOS LED TV
- Resolution: UHD
- Pixel Resolution: 3840 x2160
- Refresh Rate; 50/60HZ
- Response Time: 8ms
- HDR Format; HDR
- Brightness: 250 ±15% nits
- Viewing angle; 178°/178°
- •Game Mode: 6ms
- Speakers' output power: 2x10W
- Dolby Digital Plus
- · Air Play: Yes
- Internal storage 8 GB
- Inputs: 3 HDMI 2 USB
- Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+









































65US4301X | 65" 4K Frameless WebOS Smart TV with Voice Remote

'The Tornado 65US4301X is a 65" 4K Frameless Smart TV with WebOS 23, HDR10 + HLG, Dolby Digital sound, Bluetooth, and voice-enabled remote control—offering a complete cinematic experience for modern homes.

- •65" WebOS LED TV
- Resolution: UHD
- Pixel Resolution: 3840 x2160
- Refresh Rate: 50/60HZ
- Response Time: 8ms
- HDR Format; HDR
- Brightness: 250 ±15% nits
- Viewing angle; 178°/178°
- •Game Mode: 6ms
- Speakers' output power: 2x10W
- Dolby Digital Plus
- · Air Play: Yes
- Internal storage 8 GB
- Inputs: 3 HDMI 2 USB
- Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+








































32EA5300X | 32" Frameless HD Android TV with Wi-Fi 5 & Voice Remote

'The Tornado 32EA5300X is a 32" frameless HD Android TV with HDR support, Google Assistant, Chromecast, Wi-Fi 5, and a voice-enabled Bluetooth remote—smart, compact, and perfect for everyday viewing.

- •32 " Android LED TV
- · Resolution: HD
- Pixel Resolution: 1366 x 768
- Refresh Rate: 50/60HZ
- Response Time: 6.5ms
- HDR Format; HDR10, HLG
- Brightness: 200 ±15% nits
- Viewing angle; 178°/178°
- Game Mode: 6.5ms
- Speakers' output power: 2x8W
- Google Play
- Chromecast
- Internal storage 8 GB
- HDMI: 3 Inputs 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+































473.8X716.1X221 mm



43UA5300X | 43" Frameless 4K UHD Android TV with Wi-Fi 5 & **Voice Remote**

'The Tornado 43UA5300X is a 43" frameless 4K UHD Android TV featuring HDR10 + HLG, Google Assistant, Chromecast, Wi-Fi 5, and a voice-enabled Bluetooth remote—bringing stunning visuals and smart functionality together.

- 43 " Android LED TV
- Resolution: UHD
- Pixel Resolution: 3840 x 2160
- Refresh Rate; 50/60HZ
- Response Time: 8ms
- HDR Format; HDR10, HLG
- Brightness: 250 ±15% nits
- Viewing angle; 178°/178°
- Game Mode: 8ms
- Speakers' output power: 2x10W
- · Google Play
- Chromecast
- Internal storage 16 GB
- HDMI: 3 Inputs 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+































609X957X221 mm




50UA5300X | 50" Frameless 4K UHD Android TV with Wi-Fi 5 & **Voice Remote**

'The Tornado 50UA5300X is a 50" frameless Android TV with 4K UHD resolution, HDR10 + HLG, voice-enabled Bluetooth remote, Google Assistant, Chromecast, Wi-Fi 5, and full smart connectivity—built for immersive streaming and easy control.

- •50 " Android LED TV
- Resolution: UHD
- Pixel Resolution: 3840 x 2160
- Refresh Rate; 50/60HZ
- Response Time: 6ms
- HDR Format; HDR10, HLG
- Brightness: 250 ±15% nits
- Viewing angle; 178°/178°
- Game Mode: 6ms
- Speakers' output power: 2x10W
- · Google Play
- Chromecast
- Internal storage 16GB
- HDMI: 3 Inputs 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+































700X1111X305 mm




55UA5300X | 55" Frameless 4K UHD Android TV with Wi-Fi 5 & **Voice Remote**

'The Tornado 55UA5300X is a 55" frameless 4K UHD Android TV with HDR10 + HLG, Google Assistant, built-in Chromecast, Bluetooth voice remote, and full smart connectivity—ideal for immersive entertainment and effortless control.

- •55 " Android LED TV
- Resolution: UHD
- Pixel Resolution: 3840 x 2160
- Refresh Rate; 50/60HZ
- Response Time: 8ms
- HDR Format; HDR10, HLG Brightness: 250 ±15% nits
- Brightness: 250 ±15% nits
- Game Mode: 8ms
- Speakers' output power: 2x10W
- Google Play
- Chromecast
- Internal storage 16GB
- HDMI: 3 Inputs 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+





























770X 1227x305 mm



65UA5300X | 65" Frameless 4K UHD Android TV with Wi-Fi 5 & **Voice Remote**

'The Tornado 65UA5300X is a 65" frameless 4K UHD Android TV with HDR10 + HLG, built-in Chromecast, Google Assistant, Wi-Fi 5, and a Bluetooth voice remote—combining large-scale visuals with full smart control.

- •65 " Android LED TV
- Resolution: UHD
- Pixel Resolution: 3840 x 2160
- Refresh Rate; 50/60HZ
- Response Time: 8ms
- HDR Format; HDR10, HLG Brightness: 250 ±15% nits
- Brightness: 250 ±15% nits
- Game Mode: 8ms
- Speakers' output power: 2x10W
- Google Play
- Chromecast
- Internal storage 16GB
- HDMI: 3 Inputs 2 USB
- · Connectivity Features: Wi-Fi Bluetooth
- •Tuner VHF/UHF/CABLE: DVB-S2 / T2 / CI+





























892X1446X305 mm





TCM-14125 Compact Coffee Machine Compatible with Portafilter & ESE Pods

The Tornado TCM-14125 delivers authentic espresso and milk-based drinks with a 15-bar pump, automatic milk frother, and 1.2L water tank. Compact yet versatile, it works with both portafilters and ESE pods for a personalized coffee experience at home.

· Body: ABS

• Pump Pressure :15 Bar

· Temperature Range: 70°-85°C

· Programs : Espresso – Cappuccino – Latte – Milk Frothing

· Milk Frothing Type: Auto Frothing

Water Tank Capacity: 1.2 LMilk Tank Capacity: 0.7L

· Electric Power: 1230-1470 Watt

 $\cdot \, \text{Control Type} \, : \text{Buttons} \,$

· Milk Cleaning System: Auto



Dimensions (HxWxD) 320X206X310 mm





TCM1025A-GS Grind & Brew Coffee Machine

Enjoy fresh drip coffee every morning with the Tornado TCM1025A-GS. Its built-in conical burr grinder, 12-cup capacity, and stepless grind control deliver rich, aromatic brews with ease. Ideal for home or office, with an LCD display and sleek black design.

Body: PPMotor: DC

Grinder Type : Conical BurrTemperature Range: 75°-85°C

Cups per Brew :12 CupWater tank capacity : 1.5 L

· Coffee Grinding System: Conical Grinder Included

Control Type : ButtonsDigital clock : Yes

Bean Hopper Capacity: 200 g
Electric Power: 900-1050 Watt



Dimensions (HxWxD) 314X213X430 mm





TCM5431-GS 20 Bar Home Barista Portafilter Machine

Brew like a pro with the Tornado TCM5431-GS. This 20-bar espresso machine features dual boilers, a built-in conical burr grinder with 30 settings, and a manual steam wand for true barista-style coffee at home. Perfect for espresso lovers who want full control and rich flavor.

- · Body: ABS
- · Pump Pressure: 20 bar
- · Power: 2800W
- · Temperature Range: 80°-99°C
- · Integrated conical grinding system.
- · 30 grind settings
- · Filter holder Hot water
- Functions : Americano- Espresso-cappuccino, latte, and macchiato.
- · Aluminum die-cast 58MM brewing funnel with a stainless-steel filter for single and double cups.
- · Includes a plastic tamper, 350ml milk jug, cleaning brush, and cleaning pin.
- · Control type : Rotary
- Cup warmer: Yes
- · Water Tank Capacity: 2.3L
- · Bean Hopper Capacity: 250 gm
- · Milk Frothing: Steam Wand



Dimensions (HxWxD) 292X331X409 mm





TCM-9008A-GS Fully Automatic One Touch Coffee Machine

The Tornado TCM-9008A-GS is a fully automatic 20-bar espresso machine with a built-in grinder, touch controls, and steam wand. Brew espresso, Americano, and more in under 130 seconds—perfect for effortless, café-quality coffee at home or in the office.

- · Body: Stainless ABS
- Pump Pressure : 20 bar
- · Temperature Range: 72°-85°C
- Function: Espresso, Double Espresso, Cappuccino, Latte, Americano Coffee, Milk Frother
- · Available in Black x Gold & Black x Silver Chrome.
- · Grinder Type : Conical Burr
- Grinder settings :15
- · Milk Frothing : Steam Wand
- · Control Type: touch
- · Display : LED
- · Water Tank Capacity: 1.5L
- \cdot Bean Tank Capacity: 180 gm
- Flectric Power: 1350 Watt



Dimensions (HxWxD) 325X190X440 mm





TCM7042-GS 5-in-1 Multi-Capsule Coffee Machine

The Tornado TCM7042-GS offers 5-in-1 brewing flexibility with support for ground coffee, Nespresso®, Dolce Gusto®, Lavazza Blue®, and ESE pods. With a 20-bar pump, fast heat-up, and compact design, it delivers rich espresso your way—every time.

· Body: ABS

· Pump Pressure: 20 bar

• Power : 1545W

• Temperature Range: 70°-86°C

• Preheat function: 45 S

· Cup per brew: lcup

· Water tank Capacity: 1.5 L

· Milk Cleaning System: Auto

· Control type: Touch

· Large and small cup buttons for different requirements.

· Large and small cup volume can be customized.

• NTC temperature control of high precision.

· Flower Meter Control.

· Nespresso capsules, Coffee Powder, LAVAZZA blue, Dolce Gusto I & II, ESE Pods













330X126X257 mm





TST-550-M | 7-in-1 Multi-Capsule Hot & Cold Coffee Machine with Milk Tank

The Tornado TST-550M-GS is a 7-in-1 coffee machine with dual thermoblock, PID control, and a 0.3 L milk tank with auto frother for hot or cold foam. From espresso to cappuccino or iced latte, it delivers full versatility with easy LCD touch operation.

Body: Stainless/ ABSPump Pressure: 19 bar

· Temperature Range: 75°-82°C

· Cups per brew: 1-2 cups

· Electric Power: 1460 Watt

· Water tank capacity ; 1 L

· Milk Frothing : auto

· Milk tank capacity : 0.3 L

· One-Touch cappuccino function

· Custom coffee volume

· Control Type: Touch

 $\cdot \operatorname{\mathsf{Cold}} \operatorname{\mathsf{drink}} \operatorname{\mathsf{function}}$

· Display Type : LCD

· Accessories functions:

· Nespresso, Coffee powder, Dolce Gusto I & II, Lavazza Blue, ESE Pods



Dimensions (HxWxD) **265X197X323 mm**





TST-693B-GS 19-Bar 5-in-1 Home Barista Portafilter & Multi-Capsule Coffee Machine

The Tornado TST-693B-GS is a 5-in-1 barista-style machine with a 19-bar pump, steam wand, and rotary controls. Compatible with ground coffee and major capsule systems, it includes a pro-grade portafilter, tamper, and milk pitcher for full brewing flexibility at home.

· Body : Stainless/ ABS

• Pump Pressure : 19 bar

· Boiler/Thermo block Type : Single Thermo-block

· Temperature Range: 75°-82°C

· Cups per brew: 1-2 cups

 \cdot Water tank capacity ; 1 L

• Electric Power: 1450W

· Milk Frothing: Steam wand

 \cdot Top warming plate for cup warming

· Control Type : Rotary

 \cdot One-Touch control panel with illumination

· With a 51mm aluminum handle

· Accessories functions:

 \cdot Nespresso . Dolce Gusto . Lavazza Blue. Caffitatly, Stainless Steel 51mm



TST-693B-GS

Dimensions (HxWxD **261X136X385 mm**





TST-550-GS | 6-in-1 Multi-Capsule Coffee Machine

A compact 6-in-1 coffee machine with a 19-bar pump, single thermoblock, PID temperature control, and 20-second heat-up. LCD touch control, 1 L removable water tank, automatic descaling, dishwasher-safe parts, and a removable brew group for easy upkeep.

· Body : Stainless/ ABS • Pump Pressure : 19 bar

· Temperature Range: 75°-82°C

· Cups per brew: 1-2 cups

· Control Type: Touch

• Electric Power: 220-240V 50/60Hz 1450W.

· Water tank capacity: 1 L

· Input and eject the capsule manually

· Indication when ready to brew.

· Water volume selection: 7 levels

· Display type : LCD · Capsules functions:

· Nespresso, Coffee powder, Dolce Gusto I & II, Lavazza Blue, ESE Pods



265X120.5X323 mm





TCMA-1001-GS | Fully Automatic 20-Bar Coffee Machine with Milk Tank, Grinder & Touch Display

The Tornado TCMA-1001-GS is a fully automatic 20-bar espresso machine with dual boilers, touch controls, built-in grinder, and milk tank. Brew espresso, cappuccino, or latte at the touch of a button—perfect for café-quality coffee at home.

· Body: ABS

· Pump Pressure: 20 bar

· Temperature Range: 72°-85°C

· Cups per brew: 2 cups

· Milk tank capacity : 0.75 L

· Control Type: touch

· Electric Power: 1350 Watt

· Compact size: from bean to coffee

 $\cdot \, \mathsf{Grinder} \, \mathsf{type} \, \mathsf{:} \, \mathsf{conical} \, \, \mathsf{Burr} \,$

· Grinder System: 15

· Coffee Hopper Capacity: 200g

· Water Tank Capacity: 1.5L

· Functions:

 $\cdot \, \mathsf{Espresso\text{-}Double} \, \mathsf{Espresso\text{-}Latte\text{-}Americano\text{-}} \, \mathsf{Cappuccino} \, \mathsf{-Milk} \, \mathsf{frothing}$

Milk frothing : AutoDisplay type : LED



Dimensions (HxWxD) 336X187X445 mm





TCM-1429B-GS | Digital Drip Coffee Maker with LED Display

Brew up to 12 cups of smooth, aromatic coffee with the Tornado TCM-1429B-GS. Featuring a 1000W heating system, 1.5L capacity, LED display, and touch controls, it blends performance and convenience in a sleek stainless steel design.

· Body: SUS430+PP

· Temperature Range: 80°C-93°C

Cups per brew: 12 cupsWater tank capacity: 1.5 L

· Control Type: touch

• Electric Power : 1000 Watt

 \cdot Body: Stainless housing with nylon filter

· Anti-drip function

 \cdot Keep warm function

 $\cdot \, \text{Water gauge}$

 \cdot White display on the front panel

· Glass carafe



Dimensions (HxWxD) **342X174X262 mm**





TCM-9459-GS Digital Coffee Machine in Retro Design

The Tornado TCM-9459-GS blends retro charm with everyday convenience. With a 1000W heating element, 1.5L capacity, and 40-minute keep-warm function, it brews up to 12 cups of smooth drip coffee—ideal for home kitchens or office spaces.

· Body: PP

· Temperature Range: 78°

 \cdot Cups per brew : 12 cups

· Water tank capacity: 1.5 L

· Control Type : button

• Electric Power: 1000 Watt

 \cdot Body: Plastic housing in matt finish

 \cdot With a decorated body, handle, and lid

· Nylon filter

· Anti-drip function

· Keep warm : 40-minute

 $\cdot \, \text{Water gauge} \\$


· Indicator light



Dimensions (HxWxD) 337X177X240 mm







Air Fryers & Grills

صُناع الثقة

TFN-A2811TBRAX | Double Stack Air Fryer 11L

11L Twin Zone air fryer with dual XXL 5.5L baskets, 10 cooking presets, and Sync-Finish scheduling—massive capacity with compact countertop footprint.

- · Rated Power :1400 + 1400 (2800)W
- · Rated Voltage: 220-240V
- · Control Type: Touch
- · Heating Method: 360° Hot Air
- · Basket Count: 2
- · Cooking Capacity: 11L
- · Basket Capacity Each: 5.5L + 5.5L
- · Serving Portions: 10
- · Temperature Min: 60 °C
- Temperature Max: 200 °C
- · Timer Max: 1 H
- · Continuous Cooking Time: 1 H
- · Keep Warm Function: Yes
- \cdot Cooking Programs : (French Fries Vegetables Chicken
- · Chicken wing Fish Shrimp Steak Pizza Cake Defrost)



Dimensions (HxWxD) 354.5X286X443 mm





TAFT-1000-GS | Double Air Fryer 9L

9 L Dual Zone air fryer with independent 4.5 L drawers, Sync-Finish technology, and 12 cooking presets—bring mains and sides to the table at once.

- · Rated Power: 2600-3100 Watt
- · Rated Voltage: 220-240V
- · Control Type: Touch
- · Heating Method: Dual Heating
- · Basket Count :2
- · Cooking Capacity: 9 L
- · Basket Capacity Each: 4.5L + 4.5L
- · Serving Portions: 10
- · Temperature Min: 60 °C
- Temperature Max: 200 °C
- ·Timer Max:: 9 H
- · Continuous Cooking Time: 2 9 H
- · Keep Warm Function: Yes
- · Cooking Programs: (FRENCH FRIES FISH STEAK VEGETABLE CHICKEN WING CAKE CHICKEN LEG BACON SHRIMP PIZZA DRY FRUIT SAUSAGE)



TAFT-1000-GS

Dimensions (HxWxD) 362X292X400 mm





TAFT-0005-GS | Air Fryer 5,7L

Compact 5.7 L air fryer with 360° Cyclone Airflow, eight one-touch presets and a dishwasher-safe non-stick basket—crispy results for up to eight portions with minimal oil.

Rated Power : 1450-1750WRated Voltage: 220-240V

· Control Type: Touch

· Heating Method: 360° Hot Air

· Cooking Capacity: 5.7 L

· Serving Portions: 8

· Temperature Min: 60 °C

· Temperature Max: 200 °C

·Timer Max: 9 H

· Continuous Cooking Time: 2 - 9 H

· Keep Warm Function: Yes

• Cooking Programs: (FRENCH FRIES - STEAK - CHICKEN WING DRUMSTICK - FISH - VEGETABLE - CAKE - DRY FRUIT)



Dimensions (HxWxD) 280X263X291 mm





TGC-5406-GS | Ceramic Contact Grill with Single Push-Turn Button Operation

The Tornado TGC-5406-GS Ceramic Electric Grill delivers up to 1800W of power, with adjustable height, ceramic non-stick plates, and intuitive Push-Turn controls—perfect for fast, healthy indoor grilling.

- · Rated Power: 1500-1800W
- · Cooking Surface Area: L307 x W270mm
- Temperature Range Min: 80°±20°
- Temperature Range Max: 280°20°
- · Smoke Reduction Technology
- $\cdot \, {\sf Control \, Type: \, Touch}$
- · Display Type: LED
- · Dishwasher Safe Parts: Yes
- · Plate Material: Ceramic oil coated
- · Non-Stick Coating: Yes
- · Removable Plates: Yes
- · Drip Tray : Yes



TGC-5406-GS









TKE-01401ZA-GS | 1.7L Stainless Steel Electric Kettle with LED Ring

The Tornado TKE-01401ZA-GS 1.7L Electric Kettle combines fast 2200W boiling power with a sleek stainless steel body, LED ring indicator, and safety shut-off—ideal for modern kitchens.

· Capacity: 1.7 L

· Min Fill Volume: 0.5 L

· Rated Power: 1850-2200 Watt

· Rated Voltage: 220-240 V

· Rated Frequency: 50-60 Hz

• Boil Time (1L): 120-135 sec

· Heating Element Type: Concealed

· Noise Level Max: 70 dB (A)

· Auto Shut-Off: Yes

· Boil-Dry Protection: Yes

· Water Level Indicator: Yes

· 360° Swivel Base: Yes

· Filter Type: Removable / Washable

· Body Material: Stainless

· Cable Length: 0.7 – 0.75 M

· Controller type : Strix



Dimensions (HxWxD) **252X154X226 mm**





TKE-01411-GS | 1.7L Stainless Steel Electric Kettle

The Tornado TKE-01411-GS Stainless Steel Electric Kettle features a 1.7L capacity, fast 2200W heating, and built-in safety features—all wrapped in a sleek, durable stainless steel design.

· Capacity: 1.7 L

· Min Fill Volume: 0.5 L

· Rated Power: 1850-2200 Watt

· Rated Voltage: 220-240 V

· Rated Frequency: 50-60 Hz

• Boil Time (1L) : 120-135 Sec

· Heating Element Type: Concealed

· Noise Level Max: 70 dB (A)

· Auto Shut-Off: Yes

· Boil-Dry Protection: Yes

 $\cdot \, \text{Controller type} : \text{Strix} \,$

· Water Level Indicator: Yes

· 360° Swivel Base: Yes

 \cdot Filter Type : Removable / Washable

· Body Material: Stainless

· Cable Length: 0.7 – 0.75 M



TKE-01401ZA-GS







TKE-01328-GS | 1.7L Electric Kettle in Retro Design

The Tornado TKE-01328-GS 1.7L Electric Kettle in RETRO design combines fast boiling with classic style, featuring 2200W power, a concealed heating element, and auto shut-off for safe, everyday use.

· Capacity: 1.7 L

· Min Fill Volume: 0.5 L

· Rated Power : 1850-2200 Watt

· Rated Voltage: 220-240 V

· Rated Frequency: 50-60 HZ

• Boil Time (1L) : 180-195 sec

· Heating Element Type: Concealed

· Noise Level Max: 58 dB (A)

· Auto Shut-Off: Yes

· Boil-Dry Protection: Yes

· Water Level Indicator: Yes

· Cord Storage: Yes

· Filter Type: Removable / Washable

· Body Material: Plastic

• Cable Length : 0.7 – 0.75 M

· Controller type : Strix



265X156X241 mm

TKE-01328-GS



TKES-4173-GS | 1.7L Digital Stainless Steel Kettle with Variable Temperature Control

The Tornado TKES-4173-GS Digital Kettle combines precision and speed with its 5 preset temperature settings (45–100 °C), a durable 1.7 L stainless steel body, and a concealed 2200 W heating element for fast, safe boiling.

· Capacity :1.7 L

· Min Fill Volume: 0.5 L

· Rated Power: 1850-2200 Watt

· Rated Voltage: 220-240 V

· Rated Frequency: 50-60 Hz

· Boil Time (1L): 100-110 sec

 \cdot Temperature Settings: 45 ° /60 ° /70 ° /80 ° /100 °(boil)

· Keep Warm Time: 60 sec

 \cdot Heating Element Type: Concealed

· Auto Shut-Off: Yes

· Boil-Dry Protection: Yes

· Water Level Indicator: Yes

· 360° Swivel Base: Yes

 \cdot Filter Type : Removable / Washable

Body Material: StainlessController type: Strix

· Cable Length: 0.7 – 0.75 M



TKES-4173-GS







TTA-5406-GS | 4-Slice Toaster with 120×120 Slots, 1600 W

Toast more in less time with the Tornado TTA-5406-GS. Designed for large 120×120 mm slices, this 1600 W 4-slice toaster delivers even results, seven browning levels, and convenient reheat and defrost options.

· Slice Capacity: 4

· Slot Width: 120X120 mm

· Rated Power: 1600 Watt

· Rated Voltage: 220-240 V

 \cdot Rated Frequency: 50-60 HZ

· Browning Levels: 7

· Defrost Function: Yes

· Reheat Function: Yes

· Toasting Time (Sec): Toast: 90±10-250±10

Defrost: 115±10-275±10

Reheat: 30±5"

· Control Type: Dial

· High-Lift Lever: Yes

 $\cdot \, \mathsf{Removable} \, \mathsf{Crumb} \, \mathsf{Tray:} \, \mathsf{Yes} \,$

· Cable Length: 0.8-0.85 m



TTA-5406-GS







TTA-7402-GS | 2 Long-Slot Slice Toaster "4x100" – 1400W

Powerful and precise, the Tornado TTA-7402-GS long-slot toaster delivers 1400W of performance with 4x100mm slot capacity, seven browning levels, and convenient reheat and defrost modes for everyday use.

· Slice Capacity: 2

· Slot Width: 200x100 mm · Rated Power: 1400 Watt

· Rated Voltage: 220-240 V

· Rated Frequency: 50-60 HZ

Browning Levels: 7Defrost Function: YesReheat Function: Yes

· Toasting Time (sec)Toast: 90±10-250±10

Defrost: 115±10-275±10

Reheat: 30±5"

Control Type: DialHigh-Lift Lever: Yes

 $\cdot \, \mathsf{Removable} \, \mathsf{Crumb} \, \mathsf{Tray:} \, \mathsf{Yes} \,$

· Cable Length: 0.8-0.85 m



TTA-7402-GS







TTA01118-GS | 2-Slice 750 W Toaster

The Tornado TTA01118-GS 2-slice toaster features 750W power, 7 browning settings, and one-touch defrost and reheat functions—ideal for perfect toast, every time.

· Slice Capacity: 2

Slot Width: 100*100mmRated Power: 750 Watt

· Rated Voltage: 220-240 V

· Rated Frequency: 50-60 HZ

 \cdot Browning Levels: 7-setting browning control

Defrost Function: YesReheat Function: Yes

· Toasting Time (Sec): Toast: 75±10-210±10

Defrost: 105±10-240±10

Reheat: 30±5"

 $\cdot \, \mathsf{Control} \, \mathsf{Type:} \, \mathsf{Dial} \,$

· Removable Crumb Tray: Yes

· Cable Length: 0.8-0.85 m



TTA01118-GS







TTA-1430-GS | Retro Design 2-Slice 850 W Toaster

Classic curves meet modern convenience: the Tornado TTA-1430-GS Retro Toaster delivers perfectly-even toast with up to 850W of power, seven browning settings, and one-touch defrost and reheat.

· Slice Capacity: 2

• Slot Width : 100*100mm

Rated Power: 720-850 WattRated Voltage; 220-240 V

· Rated Frequency: 50-60 HZ

· Browning Levels: 7

· Defrost Function: Yes

· Reheat Function: Yes

· Toasting Time (Sec): Toast: 90±10-250±10

Defrost: 115±10-275±10

Reheat: 30±5"

Control Type: DialHigh-Lift Level: Yes

 $\cdot \, \mathsf{Removable} \, \mathsf{Crumb} \, \mathsf{Tray} \mathsf{:} \, \mathsf{Yes} \,$

· Cable Length: 0.8-0.85 m



Dimensions (HxWxD) 203X170X287 mm





TTA751-GS | 2-Slice Digital Toaster with Touch Control

Premium style meets precision with the Tornado TTA751-GS: a 2-slice toaster featuring digital touch controls, LED display, and self-centering guides for even, customizable toasting every time.

· Slice Capacity: 2

· Slot Width: 100*100mm

· Rated Power: 800 watt

· Rated Voltage: 220-240

· Rated Frequency: 50-60 HZ

· Browning Levels: 7

· Defrost Function: Yes

· Reheat Function: Yes

· Toasting Time (Sec): Toast: 90±10-250±10

Defrost: 115±10-275±10

Reheat: 30±5"

 $\cdot \, {\sf Control\,Type:}\, {\sf Touch}$

· Display Type: LED

· High-Lift Lever: Yes

· Self-Centering Guides: Yes

 $\cdot \, \mathsf{Removable} \, \mathsf{Crumb} \, \mathsf{Tray:} \, \mathsf{Yes} \,$

· Cable Length: 0.8-0.85 m



Dimensions (HxWxD) 189X164X268 mm





TTA751-GS

TBL-1402E-GS | Tornado Digital Blender 1.75L

1400 W glass-jug blender with 1.75 L jar, stepless speed and pulse, 6-blade vortex action for silky smoothies, plus one-touch self-clean program and touch display.

· Motor Power:: 1400 watt

· Rated Voltage: 220-240 V

· Rated Frequency: 50-60 HZ

· Motor Speed Max: 21000rpm±10%

· Capacity (Main Jar): 1.75L

· Pulse Function: Yes

· Constant Speed: Stepless speed control

· Control Type : Touch

Display : Yes

· Lid-Lock Safety: Yes

· Jar Material : Glass

· Blade Material: Stainless Steel

· Cord Length :0.75-0.8 m



Dimensions (HxWxD) 428X224X190 mm





THB-6412-GS | 1000W Hand Blender

1000 W stick hand blender set with stepless speed control, stainless-steel blending rod, 0.7 L chopper, whisk, and 0.5 L measuring cup—whip, blend, and mince with one versatile kit.

• Motor Power: 1000 Watt

· Rated Voltage: 220-240 V

· Rated Frequency: 50-60 HZ

· Secondary Cup Capacity Chopper: 0.7LMeasuring cup: 0.5L

· Pulse Function: Yes

· Constant Speed: Stepless speed control

· Control Type : Manual

· Blade Material: Stainless Steel

· Cord Length: 0.9-1 M





Dimensions (HxWxD)
255x64x64 mm







VCCKC800RC | 800 W Bagless Cylinder Vacuum Cleaner 5M Cable

The Tornado VCCKC800RC is an 800 W bagless cylinder vacuum cleaner with a 1.8 L dust tank, dual-stage HEPA filtration (H10 + H13), and an 8-meter cleaning radius—perfect for efficient, everyday cleaning on hard floors and carpets.

- · Input Power (Max): 800 Watt
- · Suction Power (Max): 145 Watt
- · Noise Level: 74 Db
- · Dust Capacity: 1.8 L
- ∙ Bag Type :Box
- · Filtration Level: H10 HEPA +H13 HEPA
- · Action Radius: 8 M
- · Cord Length: 5 m
- · Hose Length: 1.5
- · Airflow: ≥25
- · Brush Type : Eco brush
- · Power Control: knob control
- · Washable Filters: Yes





Dimensions (HxWxD) **287X418X292 mm**





VCCKC800RCL | 800 W Bagless Cylinder Vacuum Cleaner 7M Cable

The Tornado VCCKC800RCL is a high-performance 800 W bagless cylinder vacuum cleaner with a 1.8 L dust tank, dual-stage HEPA filtration, and an extended 10-meter reach—perfect for deep and allergen-reducing cleaning throughout the home.

- · Input Power (Max): 800 Watt
- · Suction Power (Max): 145 Watt
- · Noise Level: 74 dB
- · Dust Capacity: 1.8 L
- ∙ Bag Type : Box
- · Filtration Level: H10 HEPA +H13 HEPA
- · Action Radius: 10 m
- · Cord Length: 7 m
- · Hose Length :1.5
- · Airflow: ≥25
- · Brush Type : Eco brush
- · Power Control: knob control
- · Washable Filters: Yes





Dimensions (HxWxD) 287X418X292 mm





VCBKC800BC | 800 W Bagged Cylinder Vacuum Cleaner **5M Cable**

The Tornado VCBKC800BC is a powerful 800 W bagged cylinder vacuum cleaner with 210 W suction, a large 4 L cloth dust bag, and HEPA H10 filtration—ideal for deep, hygienic cleaning with fewer bag changes.

· Input Power (Max): 800 Watt · Suction Power (Max): 210 Watt · Noise Level: 66 Db · Dust Capacity: 4 L

· Bag Type: Cloth Bag Н10 НЕРА · Filtration Level:

· Action Radius: 8 m · Cord Length: 5 m · Hose Length: 1.5 · Airflow: >30

Eco brush · Brush Type:


· Variable Power Control: Button control

· Washable Filters: Yes





VCBKC800BC







VCBKC800BCL | 800 W Bagged Cylinder Vacuum Cleaner 8M Cable

The Tornado VCBKC800BCL is a powerful 800 W bagged cylinder vacuum with 210 W suction, a large 4 L cloth dust bag, HEPA H10 filtration, and a total 11-meter reach—perfect for deep and uninterrupted cleaning across larger homes.

Input Power (Max): 800 Watt
Suction Power (Max): 210 Watt
Noise Level: 66 Db
Dust Capacity: 4 L

Bag Type: Cloth BagFiltration Level: H10 HEPA

Action Radius: 11 m
Cord Length: 8 m
Hose Length: 1.5
Airflow: ≥30

Brush Type : Eco brushVariable Power Control: Button control

· Washable Filters: Yes





Dimensions (HxWxD) **240X494X343 mm**





VCBKC800BCL

VCHSD300GC | 300 W Cordless Handstick Vacuum with HEPA Filter & LED Nozzle Light

The Tornado VCHSD300GC is a 300 W cordless handstick vacuum with 80 W suction power, LED-lit motorized brush, washable H10 HEPA filter, and up to 40 minutes runtime—ideal for quick, versatile everyday cleaning.

Motor Power: 300 Watt
Suction Power: 80 Watt
Noise Level: ≤80 Db
Dust Capacity: 0.55 L
Battery Voltage: 21.6 V
Battery Capacity: 2000mAh

·Runtime: High speed ≥10min

Medium speed≥23min

Low speed≥40min"

Charge Time: 5-6 HWeight: 3.9 Kg

 $\boldsymbol{\cdot}$ Nozzle Type: roller brush with rubber strip - hair brush

LED Nozzle Light: YesOne-Touch Empty: Yes

· Filter Type : H10 HEPA

· Battery Indicator: Yes













VCHWDK200C | Cordless Wet & Dry Handstick Vacuum with 4000 mAh Battery, F5 HEPA Filter & LED Display

The Tornado VCHWDK200C is a cordless wet & dry vacuum cleaner with a 200 W motor, 4000 mAh battery, F5 HEPA filter, and a smart LED display—designed for up to 30 minutes of powerful, dual-surface cleaning.

· Motor Power: 200 (+50 Brush) Watt

Suction Power: 45 Watt
Noise Level: 84 dB
Dust Capacity: 0.65 L
Battery Voltage: 21.6 V
Battery Capacity: 4000m Ah

·Runtime: high speed:≥20min

low speed :≥30min"

Charge Time: 5 HQuick Charge Base: YESWeight: 6 Kg

 \cdot Nozzle Type: roller brush with composite flocking

· Filter Type: F5 HEPA

 $\boldsymbol{\cdot}$ Battery Indicator: state of charge shown on screen



Dimensions (HxWxD) 1140x225x320 mm





VCHSKC500C | 500 W Cordless Handstick Vacuum with Flexible Wand, Swivel Brush, HEPA H12 Filter & LED Display

The Tornado VCHSD300GC is a 300 W cordless handstick vacuum with 80 W suction power, LED-lit motorized brush, washable H10 HEPA filter, and up to 40 minutes runtime—ideal for quick, versatile everyday cleaning.

· Motor Power: 500 (+50 Brush) Watt

Suction Power: 200 Watt
Noise Level: 84 dB
Dust Capacity: 0.3 L
Battery Voltage: 28.8 V
Battery Capacity: 3000mAh

·Runtime: high speed:≥12min

low speed:≥60min"

Charge Time: 4HQuick Charge Base: YESWeight: 4.6 Kg

 $\boldsymbol{\cdot}$ Nozzle Type: roller brush with rubber strip and hairbrush

LED Nozzle Light: YesOne-Touch Empty: Yes

· Filter Type: H12 HEPA

· Battery Indicator: state of charge shown on screen







Dimensions (HxWxD) 1152x170x200 mm





VCRMCWC | 5-in-1 Pet Robot Vacuum with Self-Emptying Base, Laser Navigation & Grooming Kit

The Tornado VCRMCWC is a 5-in-1 robotic cleaning and grooming system featuring 3000 Pa suction, laser navigation, mop washing, and a self-emptying base that transforms into a handheld vacuum—perfect for spot cleaning areas the robot can't reach. Includes a full pet grooming kit, ideal for smart, pet-friendly homes.

· Suction Power (Max): 3000 pa

850w for empty base 30W for robot · Rated Power

· Noise Level : 68 Db Dustbin Capacity: 350 ml · Water Tank Capacity: 250 ml · Battery Capacity: 2600 mAh · Runtime (Standard): 210 min · Charging Time: 4.5-5h · Max Crossing Height: 20 · Navigation Type: LIDAR · Mapping Technology: YES

· Obstacle Avoidance Sensors: IR / Bumper / Laser

· Multi-Floor: YES Mopping Function: YES · Auto Carpet Boost: YES YES · Self-Empty Dock: · Automatic Resumption: YES · App Control: YES · Wi-Fi Connectivity: YES · Voice Control Compatibility: YES · Scheduled Cleaning: YES · No-Go Zones / Virtual Walls : YES

Dust Bag Capacity (Base)













VCRMCWC6 | 5-in-1 Pet Robot Vacuum with Self-Emptying Base, Laser Navigation & Grooming Kit

The Tornado VCRMCWC6 is a 5-in-1 robotic cleaning and grooming system featuring 6000 Pa suction, laser navigation, mop washing, and a self-emptying base that transforms into a handheld vacuum—perfect for spot cleaning areas the robot can't reach. Includes a full pet grooming kit, ideal for smart, pet-friendly homes.

· Suction Power (Max): 6000 pa

• Rated Power: 850w for empty base 30W for robot

· Noise Level : 68 dB · Dustbin Capacity: 350 ml · Water Tank Capacity: 250 ml · Battery Capacity: 5000 mAh · Runtime (Standard): 230 min · Charging Time: 4-6h · Max Crossing Height: 20 Navigation Type LIDAR Mapping Technology YES

 $\cdot \, \mathsf{Obstacle} \, \mathsf{Avoidance} \, \mathsf{Sensors} \, \, \mathsf{IR} \, \mathsf{/} \, \mathsf{Bumper} \, \mathsf{/} \, \mathsf{Laser}$

· Multi-Floor YES Mopping Function YES · Auto Carpet Boost YES YES · Self-Empty Dock · Automatic Resumption YES YES · App Control · Wi-Fi Connectivity YES · Voice Control Compatibility YES · Scheduled Cleaning YES · No-Go Zones / Virtual Walls YES















Dust Bag Capacity (Base)



Steam Irons



TST-1800B | Steam Iron with Teflon Soleplate & 160g Steam Boost

The Tornado TST-1800B Steam Iron features a non-stick Teflon soleplate, powerful 2200W motor, and 160g steam boost—offering fast wrinkle removal with anti-drip and vertical steam support.

- Power: 1800 W
- · Steam Rate: 25-40 g/min
- · Steam Boost: 160 g
- · Water Tank Capacity: 300 ml
- · Heat-Up Time: 55 s
- · Soleplate Materia: Teflon
- · Variable Steam Settings: 4
- · Vertical Steam: Yes
- · Anti-Drip: Yes
- · Anti-Calc System: Yes
- · Cord Length: 1.8 m



Dimensions (HxWxD) 159X296X129 mm





TST-2000G | Steam Iron with Ceramic Soleplate & 170g Steam Boost

The Tornado TST-2000G Steam Iron features a durable ceramic soleplate, 2400W power, and a 170g steam boost—delivering smooth, powerful ironing with anti-drip protection and vertical steam support.

- Power: 2000 W
- · Steam Rate: 25-40 g/min
- · Steam Boost: 170 g
- · Water Tank Capacity: 300 ml
- · Heat-Up Time: 52 s
- · Soleplate Material: Ceramic
- · Variable Steam Settings: 4 steps
- · Vertical Steam: Yes
- · Anti-Drip: Yes
- · Anti- Calc System: Yes
- · Cord Length: 1.8 m



Dimensions (HxWxD) 159X296X129 mm





TSS-2400D | Digital Steam Generator Iron with Ceramic Soleplate & 280g Steam Boost

The Tornado TSS-2400D Digital Steam Generator Iron features a 5-bar steam system, ceramic soleplate, and up to 110g/min of continuous steam—powered by 2000–2400W for fast and effective wrinkle removal.

· Power: 2000-2400W

· Steam Rate: Min: 40±15g/min

Mid: 80±15g/min Max: 110±15g/min"

· Steam Boost: 280

· Steam Pressure (Generator): 5 bar

· Water Tank Capacity: 1700ML

· Heat-Up Time: ≤180s

· Soleplate Material: Ceramic

· Variable Steam Settings: Min/Mid/Max

· Vertical Steam: Yes

· Auto Shut-Off: Yes (600±30 Seconds)

· Descaling Reminder: Light

· Cord Length: 1.8-2.1 m



Dimensions (HxWxD) 385x210x302 mm







TSF-16W | 16" Pedestal Fan - Superior Airflow at 46dB

The Tornado TSF-16W 16" Pedestal Fan delivers quiet, efficient cooling with a 60W motor, 3-speed settings, and 46dB operation—featuring wide oscillation, tilt control, and sleek black design.

- · Airflow Max: 65m³/h
- · Air Speed Max: 3.26 m/s
- · Coverage Distance: 2- 4 m
- · Speed Settings: 3 levels
- · Operating Modes: Normal
- · Oscillation Angle: 80-120°
- Tilt / Pivot Angle: 15-30°
- · Sound pressure Max level: 46.7 dB
- · Sound power Max level: 59.33 dB
- Power Consumption Max: 60 W
- · Control Type: Mechanical
- · Cable Length: 1.7 m



Dimensions (HxWxD)
1400x480x400 mm





TSF-18XW | 18" Pedestal Fan - Superior Airflow at 46dB

The Tornado TSF-18XW 18" Pedestal Fan delivers powerful 75W performance, superior airflow up to 4m, and ultra-quiet 46dB operation. With 3 speed settings, full oscillation, and modern black-red design, it's a reliable choice for cooling any room.

· Airflow Max: 90 m³/h

· Air Speed Max: 3.49 m/s

· Coverage Distance: 2- 4 m

· Speed Settings: 3 levels

· Operating Modes: Normal

· Oscillation Angle: 80-120°

• Tilt / Pivot Angle: 15-30°

· Sound pressure Max level: 46.2 dB

· Sound power Max level: 59.28 dB

• Power Consumption Max: 75 W

· Control Type: Mechanical

· Cable Length: 1.7 m



Dimensions (HxWxD) **1450X550X400 mm**





EFS-111M | EFS-111M 16" Pedestal Telescopic Fan – Superior Airflow at 46dB

The Tornado EFS-111M 16" Telescopic Pedestal Fan delivers quiet, efficient cooling with a 60W motor, 3 speed settings, telescopic height adjustment, and smooth oscillation—all in a sleek black-red finish.

- · Airflow Max: 65m³/h
- · Air Speed Max: 3.3m/s
- · Coverage Distance: 2- 4 m
- · Speed Settings: 3 levels
- · Operating Modes: Normal
- · Oscillation Angle: 80-120°
- Tilt / Pivot Angle: 15-30°
- · Sound pressure Max level: 46.15 dB
- · Sound power Max level: 59.43 dB
- \cdot Power Consumption Max: 60 W
- · Control Type: Mechanical
- · Cable Length: 2.6 m



Dimensions (HxWxD)
1480X400X460 mm







TPHAW-07ABG | 7,000 BTU (2.05 kW) Portable AC

The Tornado TPHAW-07ABG is a compact 7,000 BTU portable air conditioner with energy class A efficiency and quiet 50–53 dB(A) operation. Equipped with LCD controls, remote, auto restart, sleep mode, and drain-free technology, it offers reliable cooling comfort anywhere.

- · Capacity: 7000BTU
- · Cooling
- · A Class Efficiency
- · Remote Control
- · Using Environmentally Friendly Freon R290
- · Operates at 220-240V/50Hz
- · Friendly operation
- · Weight: 24.3 Kg



Dimensions (HxWxD) 630X356X388 mm





TPYAB-09ABG | 9,000 BTU (2.64 kW) Portable AC & Heat Pump

The Tornado TPYAB-09ABG is a versatile 9,000 BTU portable air conditioner with integrated 3.4 kW heating function. With energy class A efficiency, quiet 48–51 dB(A) operation, LCD controls, swing louvres, and drain-free technology, it delivers year-round comfort in a compact mobile design.

- · Capacity: 9000BTU
- · Cooling and Heating
- · Remote Control
- Heat pump technology
- · A Class Efficiency
- · Using Environmentally Friendly Freon R290
- · Operates at 220-240V/50Hz
- · Weight: 30 Kg



Dimensions (HxWxD) **358X419X688 mm**





TPYAB-12ABG | 12,000 BTU (3.52 kW) Portable AC & Heat Pump

The Tornado TPYAB-12ABG is a powerful 12,000 BTU portable air conditioner with an integrated 2.8 kW heating function. Combining energy class A efficiency, LCD controls, swing louvres, and drain-free technology, it delivers year-round comfort in a compact mobile unit.

- · Capacity: 12000BTU
- · Cooling and Heating
- Heat pump technology
- · Remote Control
- · A Class Efficiency
- · Using Environmentally Friendly Freon R290
- · Operates at 220-240V/50Hz
- · Weight: 31 Kg



Dimensions (HxWxD) 358X419X688 mm







AC 3,000 Watt inverter Split System

Introducing the TORNADO AC 2640(700-3370) W Inverter: your efficient cooling solution with 9000 BTU capacity. With inverter technology, it optimizes energy usage for maximum efficiency. Experience reliable and powerful cooling performance with TORNADO's innovative design.

- · 9000 BTU
- · Hidden Display
- · Super Cool
- · Low Noise
- · Automatic Restart when power is turned off
- · Sleep Mode
- · Friendly Refrigerant (R32)
- · 4-Way swing
- Dust Filter
- Timer Function
- Self Diagnosis
- · Outdoor unit protection



TY-X09BHG TE-X09BHG




AC 3,000 Watt inverter Split System with WiFi

Introducing the Tornado 2640(700-3370) W Inverter with Wi-Fi: Your smart and efficient cooling solution with 9000 BTU capacity. Featuring inverter technology and Wi-Fi connectivity, it offers precise temperature control and convenient operation from anywhere via your smartphone. Enjoy superior comfort and energy efficiency with Tornado's innovative design.

190X698X255 mm

- · 9000 BTU
- · Hidden Display
- · Super Cool
- · Low Noise
- · Automatic Restart when power is turned off
- · Sleep Mode
- Friendly Refrigerant (R32)
- · 4-Way Swing
- Dust Filter
- Timer Function
- · Self Diagnosis
- · Auto Protection



TY-XW09BHG

TE-X09BHG





AC 3,400 Watt inverter Split System

Introducing the TORNADO AC 3400(1000-1035) Watt Inverter: your powerful cooling solution with 12000 BTU capacity. Equipped with inverter technology, it ensures efficient and reliable cooling performance for your space. Experience superior comfort and energy savings with TORNADO's innovative design

201X777X250mm

- ·12000 BTU
- · Hidden Display
- · Super Cool
- · Low Noise
- · Automatic Restart when power is turned off
- · Sleep Mode
- Friendly Refrigerant (R32)
- · 4-Way Swing
- Dust Filter
- Timer Function
- · Self Diagnosis
- · Outdoor unit protection



TY-X12BHG TE-X12BHG



AC 3,400 Watt inverter Split System with WiFi

Introducing the Tornado AC 3400(1000-3770 Wi-Fi Inverter: Your smart and powerful cooling solution with 12000 BTU capacity. Equipped with inverter technology and Wi-Fi connectivity, it offers precise temperature control and convenient operation from anywhere using your smartphone. Experience superior comfort and energy efficiency with Tornado's innovative design.

201X777X250 mm

- · 12000 BTU
- · Hidden Display
- · Super Cool
- · Low Noise
- · Automatic Restart when power is turned off
- · Sleep Mode
- · Friendly Refrigerant (R32)
- · 4-Way swing
- Dust Filter
- Timer Function
- Self Diagnosis
- · Outdoor unit protection



495X712X276 mm

TY-XW12BHG

TE-X12BHG



AC 5,000 Watt inverter Split System

Introducing the Tornado AC 5140(1250-5910)W Inverter: Your highperformance cooling solution with 18000 BTU capacity. Featuring advanced inverter technology, it delivers efficient and powerful cooling for larger spaces. Enjoy superior comfort and energy savings with Tornado's innovative design.

206X910X294 mm

- ·18000 BTU
- · Hidden Display
- · Super Cool
- · Low Noise
- · Automatic Restart when power is turned off
- · Sleep Mode
- Friendly Refrigerant (R32)
- · 4-Way Swing
- Dust Filter
- Timer Function
- · Self Diagnosis
- · Outdoor unit protection



TY-X18BHG TE-X18BHG





AC 5,000 Watt inverter Split System with WiFi

Introducing the Tornado AC 5140(1250-5910) Watt Inverter with Wi-Fi: Your smart and high-performance cooling solution with 18000 BTU capacity. With advanced inverter technology and Wi-Fi connectivity, it offers efficient and powerful cooling while allowing you to control and monitor your AC remotely using your smartphone. Enjoy superior comfort and convenience with Tornado's innovative design.

206X910X294 mm

- ·18000 BTU
- · Hidden Display
- · Super Cool
- · Low Noise
- · Automatic Restart when power is turned off
- · Sleep Mode
- Friendly Refrigerant (R32)
- · 4-Way Swing
- Dust Filter
- Timer Function
- · Self Diagnosis
- · Outdoor unit protection



TY-XW18BHG

TE-X18BHG



AC 7,000 Watt inverter Split System

Introducing the Tornado AC 7040(1500-7800) Watt Inverter: Your ultimate cooling solution with 24000 BTU capacity. Featuring advanced inverter technology, it ensures efficient and powerful cooling for larger spaces. Enjoy superior comfort and energy savings with Tornado's innovative design.

220X1010X315 mm

- · 24000 BTU
- · Hidden Display
- · Super Cool
- · Low Noise
- · Automatic Restart when power is turned off
- · Sleep Mode
- Friendly Refrigerant (R32)
- · 4-Way Swing
- Dust Filter
- Timer Function
- · Self Diagnosis
- · Outdoor unit protection



TY-X 24BHG

TE-X24BHG





AC 7,000 Watt inverter Split System with WiFi

Introducing the Tornado AC 7040(1500-7800) Watt Inverter with Wi-Fi: Your smart and powerful cooling solution with 24000 BTU capacity. With advanced inverter technology and Wi-Fi connectivity, it offers efficient and precise cooling while enabling remote control and monitoring via your smartphone. Enjoy superior comfort and convenience with Tornado's innovative design.

220X1010X315 mm

- · 24000 BTU
- Hidden Display
- · Super Cool
- · Low Noise
- · Automatic Restart when power is turned off
- · Sleep Mode
- Friendly Refrigerant (R32)
- · 4-Way Swing
- Dust Filter
- Timer Function
- Self Diagnosis
- · Outdoor unit protection



602X853X349 mm

TY-XW24BHG

TE-X24BHG





TEEE-SP30FK-W | 30L Electric Water Heater with Enamel Tank

The Tornado TEEE-SP30FK-W / S is a 30L electric water heater with an enamel tank, magnesium anode protection, and 1.5 kW immersed heating. Designed for wall mounting and mechanical control..

- · Water Heater Capacity: 30 Liters
- · Electric Power: 1500 Watt
- Temperature Setting Range: 30-75 °C
- · Water Heater Color: White or Silver
- · Temperature Control : Yes
- · LED Indicator Lamp: Yes
- · Inner Tank: Enamel
- · Tank Anti-Rust: Yes
- · Working Pressure Max: 10 bar
- · 5 Safety Factors for The Heater:
 - Overheating Sensor
 - Dry Heating Protection
 - Non- Return Safety Valve
 - Magnesium Anodes
 - Pressure Relief Valve



Dimensions (HxWxD) 480X450X450 mm





TEEE-SP40FK-W | 40L Electric Water Heater with Enamel Tank

The Tornado TEEE-SP40FK-W / S is a 40L electric water heater with an enamel tank, magnesium anode protection, and 1.5 kW immersed heating. Designed for wall mounting and mechanical control..

- · Water Heater Capacity: 40 Liters
- · Electric Power: 1500 Watt
- \cdot Temperature Setting Range: 30-75 °C
- · Water Heater Color: White or Silver
- · Temperature Control: Yes
- · LED Indicator Lamp: Yes
- · Inner Tank: Enamel
- · Tank Anti-Rust: Yes
- · Working Pressure Max: 10 bar
- · 5 Safety Factors for The Heater:
 - Overheating Sensor
 - Dry Heating Protection
 - Non- Return Safety Valve
 - Magnesium Anodes
 - Pressure Relief Valve



Dimensions (HxWxD) **505X450X450 mm**





TEEE-SP50FK-W | 50L Electric Water Heater with Enamel Tank

The Tornado TEEE-SP50FK-W / S is a 50L electric water heater with an enamel tank, magnesium anode protection, and 1.8 kW immersed heating. Designed for wall mounting and mechanical control.

- · Water Heater Capacity: 50 Liters
- · Electric Power: 1800 Watt
- · Temperature Setting Range: 30-75 °C
- · Water Heater Color: White or Silver
- · Temperature Control : Yes
- · LED Indicator Lamp: Yes
- · Inner Tank : Enamel
- · Tank Anti-Rust: Yes
- · Working Pressure Max: 10 bar
- · 5 Safety Factors for The Heater:
 - Overheating Sensor
 - Dry Heating Protection
 - Non- Return Safety Valve
 - Magnesium Anodes
 - Pressure Relief Valve



Dimensions (HxWxD) 588X450X450 mm





TEEE-SP60FK-W | 60L Electric Water Heater with Enamel Tank

The Tornado TEEE-SP60FK-W / S is a 60L electric water heater with an enamel tank, magnesium anode protection, and 1.8 kW immersed heating. Designed for wall mounting and mechanical control.

- · Water Heater Capacity: 60 Liters
- · Electric Power: 1800 Watt
- · Temperature Setting Range: 30-75 °C
- · Water Heater Color: White or Silver
- · Temperature Control: Yes
- · LED Indicator Lamp: Yes
- · Inner Tank: Enamel
- · Tank Anti-Rust: Yes
- · Working Pressure Max :10 bar
- 5 Safety Factors for The Heater:
 - Overheating Sensor
 - Dry Heating Protection
 - Non- Return Safety Valve
 - Magnesium Anodes
 - Pressure Relief Valve



Dimensions (HxWxD) 665X450X450 mm





TEEE-SP80FK-W | 80L Electric Water Heater with Enamel Tank

The Tornado TEEE-SP80FK-W / S is an 80L electric water heater with an enamel tank, magnesium anode protection, and 2.0 kW immersed heating. Designed for wall mounting and mechanical control.

- · Water Heater Capacity: 80 Liters
- · Electric Power: 2000 Watt
- · Temperature Setting Range: 30-75 °C
- · Water Heater Color: White or Silver
- · Temperature Control: Yes
- · LED Indicator Lamp: Yes
- · Inner Tank: Enamel
- · Tank Anti-Rust: Yes
- · Working Pressure Max: 10 bar
- · 5 Safety Factors for The Heater:
 - Overheating Sensor
 - Dry Heating Protection
 - Non- Return Safety Valve
 - Magnesium Anodes
 - Pressure Relief Valve



Dimensions (HxWxD) 820X450X450 mm





TEEE-SP100FK-W | 100L Electric Water Heater with Enamel Tank

The Tornado TEEE-SP100FK-W / S is a 100L electric water heater with an enamel tank, magnesium anode protection, and 3.0 kW immersed heating. Designed for wall mounting and mechanical control.

- · Water Heater Capacity: 100 Liters
- · Electric Power: 3000 Watt
- Temperature Setting Range: 30-75 °C
- · Water Heater Color: White or Silver
- · Temperature Control: Yes
- · LED Indicator Lamp: Yes
- · Inner Tank: Enamel
- · Tank Anti-Rust: Yes
- · Working Pressure Max: 10 bar
- · 5 Safety Factors for The Heater:
 - Overheating Sensor
 - Dry Heating Protection
 - Non- Return Safety Valve
 - Magnesium Anodes
 - Pressure Relief Valve



Dimensions (HxWxD) 985X450X450 mm





If you are a distributor or reseller and you are interested in one or more of our **TORNADO** products, please contact us.

WE ARE HAPPY TO HELP YOU



Markus Kaules Head of Sales & Marketing Europe

Markt 9 / Aufgang B - 04109 Leipzig - Germany

HRB 41588

Tax ID: 19498/108/231

VAT ID: DE 255 419 362DE 5 343 000 577 101 67



